

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* ALAMANCE			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* ALAMANCE			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* ALAMANCE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	32	1	Fall, Unintentional	340	1	Fall, Unintentional	891
2	Poisoning, Unintentional	26	2	MVT, Unintentional	186	2	MVT, Unintentional	640
3	Firearm, Self inflicted	21	3	Poisoning, Self inflicted	182	3	Unspecified, Unintentional	595
4	Poisoning, Self inflicted	15	4	Poisoning, Unintentional	109	4	Overexertion, Unintentional	486
5	Fall, Unintentional	8	5	Unspecified, Unintentional	101	5	Cut/ Pierce, Unintentional	274
	Other	35		Other	417		Other	1,244
TOTAL		137	TOTAL		1,335	TOTAL		4,130

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* ALEXANDER			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* ALEXANDER			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* ALEXANDER		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	17	1	Fall, Unintentional	88	1	Fall, Unintentional	463
2	MVT, Unintentional	13	2	Poisoning, Self inflicted	71	2	MVT, Unintentional	255
3	Firearm, Self inflicted	12	3	MVT, Unintentional	65	3	Overexertion, Unintentional	241
4	Fall, Unintentional	5	4	Other spec/class, Unintentional	31	4	Struck, Unintentional	173
5	Poisoning, Self inflicted	4	5	Poisoning, Unintentional	28	5	Unspecified, Unintentional	130
	Other	12		Other	146		Other	498
TOTAL		63	TOTAL		429	TOTAL		1,760

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* ALLEGHANY			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* ALLEGHANY			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* ALLEGHANY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Firearm, Self inflicted	3	1	Fall, Unintentional	29	1	Fall, Unintentional	236
2	Poisoning, Self inflicted; MVT, Unintentional	2	2	MVT, Unintentional	22	2	Overexertion, Unintentional	117
3	Unspecified, Unintentional; Firearm, Unintentional; Firearm, Assault; Fire/Burn, Unintentional; Fall, Unintentional	1	3	Poisoning, Self inflicted	8	3	Cut/pierce, Unintentional	105
4			4	Transport,other, Unintentional; Struck, Unintentional	6	4	Unspecified, Unintentional	103
5			5	Unspecified, Unintentional	5	5	MVT, Unintentional	99
	Other	0		Other	26		Other	326
TOTAL		12	TOTAL		102	TOTAL		986

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* ANSON			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* ANSON			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* ANSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	12	1	Fall, Unintentional	84	1	MVT, Unintentional	103
2	Poisoning, Unintentional	9	2	MVT, Unintentional	55	2	Fall, Unintentional	101
3	Firearm, Self inflicted	5	3	Unspecified, Unintentional	31	3	Unspecified, Unintentional	75
4	Poisoning, Self inflicted; Firearm, Assault	2	4	Natural/ Environ, Unintentional	30	4	Overexertion, Unintentional	71
5	Unspecified, Unintentional; Unspecified, Assault; Suffocation, Unintentional; Suffocation, Self inflicted; Struck, Assault; Pedestrian, other, Unintentional; Fire/ Burn, Unintentional; Fall, Unintentional; Drowning, Unintentional; Cut/ Pierce, Assault	1	5	Poisoning, Self inflicted	16	5	Cut/ Pierce, Unintentional	54
	Other	0		Other	122		Other	184
TOTAL		40	TOTAL		338	TOTAL		588

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* ASHE			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* ASHE			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* ASHE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	11	1	Fall, Unintentional	68	1	Fall, Unintentional	67
2	Firearm, Self inflicted	9	2	MVT, Unintentional	45	2	Struck, Unintentional	30
3	Poisoning, Unintentional	7	3	Poisoning, Self inflicted	23	3	Overexertion, Unintentional; MVT, Unintentional	29
4	Struck, Unintentional; Poisoning, Self inflicted; Natural/ Environ, Unintentional; Fire/ Burn, Unintentional	2	4	Transport, other, Unintentional	20	4	Other spec/class, Unintentional	19
5	Unspecified, Assault; Suffocation, Self inflicted; Poisoning, Undetermined; Firearm, Unintentional; Firearm, Assault; Drowning, Unintentional; Cut/ Pierce, Unintentional	1	5	Unspecified, Unintentional	17	5	Cut/ Pierce, Unintentional	15
	Other	0		Other	79		Other	46
TOTAL		42	TOTAL		252	TOTAL		235

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* AVERY			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* AVERY			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* AVERY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	10	1	Fall, Unintentional	58	1	Fall, Unintentional	148
2	Firearm, Self inflicted	8	2	Poisoning, Unintentional	19	2	Overexertion, Unintentional	76
3	Unspecified, Unintentional; Unspecified, Assault	2	3	MVT, Unintentional	15	3	MVT, Unintentional; Cut/ Pierce, Unintentional	64
4	Transport, other, Unintentional; Poisoning, Undetermined; Poisoning, Self inflicted; MVT, Unintentional; Firearm, Assault	1	4	Poisoning, Self inflicted	12	4	Struck, Unintentional	56
5			5	Other spec/class, Unintentional	10	5	Natural/ Environ, Unintentional	33
	Other	0		Other	55		Other	94
TOTAL		27	TOTAL		169	TOTAL		535

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* BEAUFORT			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* BEAUFORT			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* BEAUFORT		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	16	1	Fall, Unintentional	121	1	Fall, Unintentional	762
2	Firearm, Self inflicted	9	2	MVT, Unintentional	75	2	MVT, Unintentional	557
3	Poisoning, Unintentional	8	3	Poisoning, Self inflicted	49	3	Overexertion, Unintentional	423
4	Fall, Unintentional	5	4	Other spec/class, Unintentional	29	4	Unspecified, Unintentional	333
5	Poisoning, Self inflicted; Drowning, Unintentional	4	5	Poisoning, Unintentional	27	5	Struck, Unintentional	295
	Other	16		Other	156		Other	1,194
TOTAL		62	TOTAL		457	TOTAL		3,564

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* BERTIE			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* BERTIE			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* BERTIE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	19	1	Fall, Unintentional	58	1	MVT, Unintentional	214
2	Poisoning, Unintentional; Fall, Unintentional; Drowning, Unintentional	2	2	MVT, Unintentional	52	2	Fall, Unintentional	157
3	Struck, Unintentional; Poisoning, Self inflicted; Pedestrian, other, Unintentional; Natural/ Environ, Unintentional; Firearm, Assault; Drowning, Self inflicted	1	3	Unspecified, Unintentional	20	3	Overexertion, Unintentional	75
4			4	Poisoning, Self inflicted	16	4	Unspecified, Unintentional	74
5			5	Other spec/class, Unintentional	14	5	Struck, Unintentional; Cut/ Pierce, Unintentional	52
	Other	0		Other	52		Other	170
TOTAL		31	TOTAL		212	TOTAL		794

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* BLADEN		
Rank	Cause	#
1	MVT, Unintentional	23
2	Poisoning, Unintentional	7
3	Firearm, Assault	4
4	Fire/ Burn, Unintentional	3
5	Unspecified, Unintentional; Natural/ Environ, Unintentional; Firearm, Self inflicted	2
	Other	5
TOTAL		48

Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* BLADEN		
Rank	Cause	#
1	MVT, Unintentional	71
2	Fall, Unintentional	60
3	Unspecified, Unintentional	43
4	Other spec/class, Unintentional	42
5	Poisoning, Self inflicted	22
	Other	103
TOTAL		341

Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* BLADEN		
Rank	Cause	#
1	Fall, Unintentional	434
2	MVT, Unintentional	370
3	Unspecified, Unintentional	368
4	Overexertion, Unintentional	223
5	Struck, Unintentional	156
	Other	597
TOTAL		2,148

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* BRUNSWICK		
Rank	Cause	#
1	MVT, Unintentional	41
2	Poisoning, Unintentional	29
3	Firearm, Self inflicted	12
4	Suffocation, Self inflicted	10
5	Poisoning, Self inflicted	6
	Other	24
TOTAL		122

Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* BRUNSWICK		
Rank	Cause	#
1	Fall, Unintentional	249
2	MVT, Unintentional	145
3	Other spec/class, Unintentional	100
4	Poisoning, Self inflicted	92
5	Unspecified, Unintentional	73
	Other	299
TOTAL		958

Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* BRUNSWICK		
Rank	Cause	#
1	Fall, Unintentional	796
2	MVT, Unintentional	567
3	Unspecified, Unintentional	275
4	Overexertion, Unintentional	249
5	Struck, Unintentional	207
	Other	871
TOTAL		2,965

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* BUNCOMBE			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* BUNCOMBE			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* BUNCOMBE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	74	1	Fall, Unintentional	551	1	Fall, Unintentional	1,056
2	MVT, Unintentional	43	2	MVT, Unintentional	281	2	MVT, Unintentional	877
3	Firearm, Self inflicted	36	3	Unspecified, Unintentional; Poisoning, Self inflicted	184	3	Unspecified, Unintentional	255
4	Suffocation, Self inflicted	16	4	Poisoning, Unintentional	128	4	Struck, Unintentional	227
5	Poisoning, Self inflicted	14	5	Other spec/class, Unintentional	113	5	Struck, Assault	216
	Other	83		Other	509		Other	1,438
TOTAL		266	TOTAL		1,950	TOTAL		4,069

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* BURKE			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* BURKE			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* BURKE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	48	1	Fall, Unintentional	282	1	Fall, Unintentional	1,529
2	MVT, Unintentional	29	2	Poisoning, Self inflicted	250	2	MVT, Unintentional	729
3	Firearm, Self inflicted	23	3	MVT, Unintentional	135	3	Overexertion, Unintentional	561
4	Firearm, Assault	9	4	Unspecified, Unintentional	62	4	Unspecified, Unintentional	489
5	Poisoning, Self inflicted; Fire/ Burn, Unintentional	6	5	Other spec/class, Unintentional	61	5	Cut/ Pierce, Unintentional	474
	Other	29		Other	318		Other	1,988
TOTAL		150	TOTAL		1,108	TOTAL		5,770

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* CABARRUS			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* CABARRUS			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* CABARRUS		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	46	1	Fall, Unintentional	482	1	Fall, Unintentional	1,440
2	MVT, Unintentional	41	2	MVT, Unintentional	229	2	MVT, Unintentional	950
3	Firearm, Self inflicted	24	3	Poisoning, Self inflicted	189	3	Overexertion, Unintentional	783
4	Fall, Unintentional	12	4	Unspecified, Unintentional	175	4	Unspecified, Unintentional	597
5	Suffocation, Self inflicted; Poisoning, Self inflicted	8	5	Poisoning, Unintentional	134	5	Struck, Unintentional	584
	Other	38		Other	520		Other	2,011
TOTAL		177	TOTAL		1,729	TOTAL		6,365

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* CALDWELL			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* CALDWELL			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* CALDWELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	37	1	Fall, Unintentional	291	1	Fall, Unintentional	478
2	MVT, Unintentional	23	2	Poisoning, Self inflicted	162	2	MVT, Unintentional	277
3	Firearm, Self inflicted	17	3	MVT, Unintentional	123	3	Overexertion, Unintentional	256
4	Poisoning, Self inflicted	9	4	Poisoning, Unintentional	67	4	Struck, Unintentional	175
5	Firearm, Assault	5	5	Other spec/class, Unintentional	52	5	Cut/ Pierce, Unintentional	138
	Other	30		Other	240		Other	567
TOTAL		121	TOTAL		935	TOTAL		1,891

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* CAMDEN			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* CAMDEN			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* CAMDEN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	6	1	Fall, Unintentional	16	1	Fall, Unintentional	8
2	MVT, Unintentional	3	2	Poisoning, Self inflicted	7	2	MVT, Unintentional	7
3	Poisoning, Self inflicted; Firearm, Self inflicted	2	3	Unspecified, Unintentional; Poisoning, Unintentional	4	3	Unspecified, Unintentional; Transport, other, Unintentional; Struck, Unintentional; Overexertion, Unintentional	3
4	Unspecified, Unintentional; Transport, other, Unintentional; Other spec/NEC, Assault; Firearm, Assault	1	4	Poisoning, Undetermined; Other spec/class, Unintentional	3	4	Cut/ Pierce, Unintentional	2
5			5	Transport, other, Unintentional; Other spec/not class, Unintentional; Natural/ Environ, Unintentional; MVT, Unintentional; Cut/ Pierce, Unintentional	2	5	Struck, Assault; Poisoning, Unintentional; Poisoning, Self inflicted; Pedal cyclist, other, Unintentional; Other spec/class, Unintentional; Natural/ Environ, Unintentional	1
	Other	0		Other	4		Other	0
TOTAL		17	TOTAL		51	TOTAL		35

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* CARTERET			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* CARTERET			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* CARTERET		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	27	1	Fall, Unintentional	211	1	Fall, Unintentional	961
2	MVT, Unintentional	21	2	Poisoning, Self inflicted	105	2	Overexertion, Unintentional	611
3	Firearm, Self inflicted	14	3	Poisoning, Unintentional	90	3	MVT, Unintentional	407
4	Fall, Unintentional	7	4	MVT, Unintentional	80	4	Struck, Unintentional	352
5	Poisoning, Self inflicted	5	5	Other spec/class, Unintentional	53	5	Unspecified, Unintentional	335
	Other	22		Other	287		Other	1,280
TOTAL		96	TOTAL		826	TOTAL		3,946

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* CASWELL			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* CASWELL			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* CASWELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	10	1	Fall, Unintentional	31	1	Fall, Unintentional	119
2	Poisoning, Unintentional	5	2	MVT, Unintentional	21	2	Overexertion, Unintentional	88
3	Poisoning, Self inflicted	3	3	Other spec/class, Unintentional	18	3	MVT, Unintentional	81
4	Fire/Burn, Unintentional	2	4	Poisoning, Unintentional; Poisoning, Self inflicted	12	4	Unspecified, Unintentional	63
5	Suffocation, Unintentional; Suffocation, Self inflicted; Struck, Unintentional; Other spec/NEC, Unintentional; Firearm, Self inflicted; Fall, Unintentional	1	5	Unspecified, Unintentional	9	5	Cut/ Pierce, Unintentional	62
	Other	0		Other	32		Other	0
TOTAL		26	TOTAL		135	TOTAL		0

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* CATAWBA			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* CATAWBA			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* CATAWBA		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	43	1	Fall, Unintentional	276	1	Fall, Unintentional	1,503
2	MVT, Unintentional	38	2	Poisoning, Self inflicted	261	2	MVT, Unintentional	891
3	Firearm, Self inflicted	25	3	MVT, Unintentional	175	3	Overexertion, Unintentional	871
4	Poisoning, Self inflicted	12	4	Other spec/class, Unintentional	114	4	Unspecified, Unintentional	562
5	Firearm, Assault	10	5	Unspecified, Unintentional	109	5	Struck, Unintentional	538
	Other	58		Other	454		Other	1,750
TOTAL		186	TOTAL		1,389	TOTAL		6,115

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* CHATHAM			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* CHATHAM			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* CHATHAM		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	21	1	Fall, Unintentional	95	1	Fall, Unintentional	409
2	Poisoning, Unintentional	10	2	MVT, Unintentional	80	2	Cut/ Pierce, Unintentional	246
3	Firearm, Self inflicted; Firearm, Assault	8	3	Poisoning, Self inflicted	40	3	Overexertion, Unintentional	225
4	Cut/ Pierce, Assault	5	4	Other spec/class, Unintentional	34	4	MVT, Unintentional	215
5	Fall, Unintentional	4	5	Poisoning, Unintentional	32	5	Struck, Unintentional	170
	Other	15		Other	129		Other	630
TOTAL		71	TOTAL		410	TOTAL		1,895

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* CHEROKEE			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* CHEROKEE			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* CHEROKEE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	12	1	Fall, Unintentional	78	1	Fall, Unintentional	206
2	MVT, Unintentional	9	2	Poisoning, Unintentional	51	2	MVT, Unintentional	136
3	Firearm, Self inflicted	5	3	Poisoning, Self inflicted	37	3	Struck, Unintentional	35
4	Poisoning, Self inflicted; Fall, Unintentional	4	4	MVT, Unintentional	31	4	Unspecified, Unintentional	26
5	Unspecified, Unintentional	3	5	Unspecified, Unintentional	14	5	Other spec/not class, Unintentional	25
	Other	9		Other	64		Other	195
TOTAL		46	TOTAL		275	TOTAL		623

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* CHOWAN			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* CHOWAN			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* CHOWAN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Firearm, Assault	4	1	Fall, Unintentional	44	1	MVT, Unintentional; Fall, Unintentional	123
2	Firearm, Self inflicted	3	2	MVT, Unintentional	13	2	Unspecified, Unintentional	83
3	Poisoning, Unintentional; MVT, Unintentional	2	3	Poisoning, Self inflicted	12	3	Overexertion, Unintentional	71
4	Suffocation, Unintentional; Pedal cyclist, other, Unintentional; Fire/ Burn, Unintentional; Fall, Unintentional; Cut/ Pierce, Assault	1	4	Unspecified, Unintentional	10	4	Struck, Unintentional	59
5	Other	0	5	Other spec/class, Unintentional	9	5	Cut/ Pierce, Unintentional	51
TOTAL		16	TOTAL		120	TOTAL		657

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* CLAY			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* CLAY			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* CLAY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	4	1	Fall, Unintentional	21	1	Fall, Unintentional	46
2	MVT, Unintentional	3	2	Poisoning, Self inflicted	10	2	MVT, Unintentional	44
3	Suffocation, Self inflicted; Firearm, Self inflicted	2	3	MVT, Unintentional	9	3	Unspecified, Unintentional	11
4	Unspecified, Unintentional; Poisoning, Undetermined; Other spec/class, Unintentional; Natural/ Environ, Unintentional; Fire/ Burn, Unintentional; Fall, Unintentional	1	4	Poisoning, Unintentional	7	4	Overexertion, Unintentional; Cut/ Pierce, Unintentional	10
5	Other	0	5	Unspecified, Unintentional	6	5	Struck, Unintentional	8
TOTAL		17	TOTAL		71	TOTAL		178

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* CLEVELAND			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* CLEVELAND			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* CLEVELAND		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	36	1	Fall, Unintentional	387	1	Fall, Unintentional	1,777
2	Firearm, Self inflicted	27	2	MVT, Unintentional	201	2	Overexertion, Unintentional	1,342
3	Poisoning, Unintentional	24	3	Poisoning, Self inflicted	148	3	MVT, Unintentional	1,062
4	Firearm, Assault	11	4	Poisoning, Unintentional	133	4	Struck, Unintentional	626
5	Fall, Unintentional	6	5	Unspecified, Unintentional	103	5	Cut/ Pierce, Unintentional	593
	Other	31		Other	445		Other	2,580
TOTAL		135	TOTAL		1,417	TOTAL		7,980
Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* COLUMBUS			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* COLUMBUS			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* COLUMBUS		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	36	1	Fall, Unintentional	120	1	Fall, Unintentional	448
2	Poisoning, Unintentional	19	2	MVT, Unintentional	104	2	MVT, Unintentional	437
3	Firearm, Assault	17	3	Other spec/class, Unintentional	68	3	Overexertion, Unintentional	225
4	Firearm, Self inflicted	10	4	Unspecified, Unintentional	55	4	Struck, Unintentional	185
5	Fall, Unintentional	4	5	Poisoning, Unintentional	46	5	Cut/ Pierce, Unintentional	139
	Other	20		Other	222		Other	527
TOTAL		106	TOTAL		615	TOTAL		1,961
Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* CRAVEN			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* CRAVEN			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* CRAVEN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	29	1	Fall, Unintentional	354	1	Fall, Unintentional	923
2	Poisoning, Unintentional	24	2	MVT, Unintentional	140	2	Overexertion, Unintentional	830
3	Fall, Unintentional	11	3	Poisoning, Self inflicted	121	3	MVT, Unintentional	613
4	Firearm, Self inflicted	10	4	Unspecified, Unintentional	119	4	Unspecified, Unintentional	539
5	Poisoning, Self inflicted	7	5	Poisoning, Unintentional	115	5	Struck, Unintentional	428
	Other	23		Other	423		Other	1,449
TOTAL		104	TOTAL		1,272	TOTAL		4,782

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* CUMBERLAND			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* CUMBERLAND			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* CUMBERLAND		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	91	1	Fall, Unintentional	479	1	MVT, Unintentional	1,520
2	Poisoning, Unintentional	59	2	MVT, Unintentional	425	2	Fall, Unintentional	1,331
3	Firearm, Assault	25	3	Poisoning, Self inflicted	300	3	Unspecified, Unintentional	698
4	Firearm, Self inflicted	20	4	Unspecified, Unintentional	225	4	Overexertion, Unintentional	664
5	Poisoning, Self inflicted	17	5	Other spec/class, Unintentional	218	5	Struck, Unintentional	454
	Other	79		Other	928		Other	1,906
TOTAL		291	TOTAL		2,575	TOTAL		6,573

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* CURRITUCK			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* CURRITUCK			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* CURRITUCK		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	10	1	Fall, Unintentional	34	1	Fall, Unintentional	42
2	Firearm, Self inflicted	8	2	Poisoning, Self inflicted	18	2	MVT, Unintentional	38
3	Poisoning, Unintentional; Fall, Unintentional	3	3	MVT, Unintentional	12	3	Overexertion, Unintentional	24
4	Firearm, Assault	2	4	Other spec/class, Unintentional	6	4	Natural/ Environ, Unintentional; Cut/ Pierce, Unintentional	13
5	Unspecified, Self inflicted; Suffocation, Unintentional; Machinery, Unintentional; Firearm, Unintentional; Fire/ Burn, Unintentional; Drowning, Unintentional	1	5	Poisoning, Undetermined	5	5	Struck, Unintentional	10
	Other	0		Other	26		Other	42
TOTAL		32	TOTAL		101	TOTAL		182

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* DARE			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* DARE			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* DARE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	14	1	Fall, Unintentional	61	1	Fall, Unintentional	274
2	Poisoning, Unintentional	13	2	MVT, Unintentional	17	2	Overexertion, Unintentional	148
3	Firearm, Self inflicted	8	3	Unspecified, Unintentional; Poisoning, Self inflicted	11	3	MVT, Unintentional	143
4	Poisoning, Self inflicted; Fall, Unintentional	5	4	Other spec/class, Unintentional	10	4	Struck, Unintentional	114
5	Drowning, Unintentional	3	5	Transport, other, Unintentional	6	5	Cut/ Pierce, Unintentional	112
	Other	6		Other	36		Other	367
TOTAL		54	TOTAL		152	TOTAL		1,158

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* DAVIDSON			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* DAVIDSON			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* DAVIDSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	64	1	Fall, Unintentional	315	1	Fall, Unintentional	2,183
2	MVT, Unintentional	54	2	MVT, Unintentional	238	2	Overexertion, Unintentional	1,392
3	Firearm, Self inflicted	27	3	Poisoning, Self inflicted	155	3	MVT, Unintentional	1,072
4	Poisoning, Self inflicted	10	4	Unspecified, Unintentional	112	4	Struck, Unintentional	914
5	Poisoning, Undetermined; Fall, Unintentional	8	5	Poisoning, Unintentional	92	5	Unspecified, Unintentional	880
	Other	42		Other	437		Other	2,812
TOTAL		213	TOTAL		1,349	TOTAL		9,253

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* DAVIE			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* DAVIE			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* DAVIE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	15	1	Fall, Unintentional	102	1	Fall, Unintentional	291
2	Firearm, Self inflicted	14	2	MVT, Unintentional	58	2	MVT, Unintentional	172
3	MVT, Unintentional	11	3	Poisoning, Self inflicted	32	3	Overexertion, Unintentional	123
4	Suffocation, Self inflicted	5	4	Natural/ Environ, Unintentional	22	4	Unspecified, Unintentional	112
5	Transport, other, Unintentional; Poisoning, Self inflicted	3	5	Poisoning, Unintentional	21	5	Struck, Unintentional	102
	Other	11		Other	124		Other	296
TOTAL		62	TOTAL		359	TOTAL		1,096
Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* DUPLIN			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* DUPLIN			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* DUPLIN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	24	1	Fall, Unintentional	99	1	Fall, Unintentional	654
2	Poisoning, Unintentional	10	2	MVT, Unintentional	72	2	MVT, Unintentional	525
3	Firearm, Assault	6	3	Unspecified, Unintentional; Poisoning, Self inflicted	45	3	Overexertion, Unintentional	314
4	Firearm, Self inflicted	5	4	Other spec/class, Unintentional	33	4	Unspecified, Unintentional	200
5	Poisoning, Self inflicted	4	5	Natural/ Environ, Unintentional	16	5	Struck, Unintentional	191
	Other	14		Other	137		Other	851
TOTAL		63	TOTAL		447	TOTAL		2,735
Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* DURHAM			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* DURHAM			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* DURHAM		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	52	1	Fall, Unintentional	456	1	Overexertion, Unintentional	1,521
2	MVT, Unintentional	49	2	MVT, Unintentional	265	2	MVT, Unintentional	1,411
3	Firearm, Assault	18	3	Poisoning, Self inflicted	228	3	Fall, Unintentional	1,325
4	Firearm, Self inflicted	12	4	Poisoning, Unintentional	218	4	Struck, Unintentional	1,041
5	Fall, Unintentional	11	5	Other spec/class, Unintentional	146	5	Cut/ Pierce, Unintentional	710
	Other	59		Other	714		Other	2,011
TOTAL		201	TOTAL		2,027	TOTAL		8,019

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* EDGEcombe			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* EDGEcombe			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* EDGEcombe		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	19	1	Fall, Unintentional	141	1	Fall, Unintentional	377
2	Poisoning, Unintentional	12	2	MVT, Unintentional	82	2	MVT, Unintentional	307
3	Fall, Unintentional	5	3	Poisoning, Self inflicted	52	3	Unspecified, Unintentional	193
4	Firearm, Self inflicted; Drowning, Unintentional	4	4	Unspecified, Unintentional	41	4	Overexertion, Unintentional	191
5	Unspecified, Assault; Suffocation, Unintentional	3	5	Poisoning, Unintentional	39	5	Struck, Unintentional	122
	Other	16		Other	189		Other	593
TOTAL		66	TOTAL		544	TOTAL		1,783

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* FORSYTH			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* FORSYTH			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* FORSYTH		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	61	1	Fall, Unintentional	873	1	Fall, Unintentional	3,875
2	Poisoning, Unintentional	57	2	Poisoning, Self inflicted	579	2	Overexertion, Unintentional	2,498
3	Firearm, Self inflicted	54	3	MVT, Unintentional	490	3	MVT, Unintentional	2,353
4	Firearm, Assault	22	4	Poisoning, Undetermined	269	4	Unspecified, Unintentional	1,960
5	Poisoning, Self inflicted	20	5	Unspecified, Unintentional	236	5	Struck, Unintentional	1,340
	Other	94		Other	1,277		Other	5,026
TOTAL		308	TOTAL		3,724	TOTAL		17,052

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* FRANKLIN			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* FRANKLIN			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* FRANKLIN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	23	1	Fall, Unintentional	136	1	Fall, Unintentional	673
2	Firearm, Self inflicted	15	2	MVT, Unintentional	95	2	MVT, Unintentional	458
3	Poisoning, Unintentional	14	3	Other spec/class, Unintentional	49	3	Overexertion, Unintentional	432
4	Suffocation, Self inflicted	6	4	Poisoning, Unintentional	42	4	Unspecified, Unintentional	428
5	Firearm, Assault; Fire/ Burn, Unintentional	3	5	Poisoning, Self inflicted	31	5	Struck, Unintentional	295
	Other	14		Other	172		Other	970
TOTAL		78	TOTAL		525	TOTAL		3,256

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* GASTON			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* GASTON			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* GASTON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	96	1	Fall, Unintentional	631	1	Fall, Unintentional	1,039
2	MVT, Unintentional	66	2	MVT, Unintentional	380	2	MVT, Unintentional	724
3	Firearm, Self inflicted	47	3	Poisoning, Self inflicted	326	3	Overexertion, Unintentional	646
4	Poisoning, Self inflicted	14	4	Poisoning, Unintentional	238	4	Unspecified, Unintentional	392
5	Fall, Unintentional	13	5	Unspecified, Unintentional	222	5	Struck, Unintentional	365
	Other	64		Other	783		Other	1,528
TOTAL		300	TOTAL		2,580	TOTAL		4,694

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* GATES			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* GATES			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* GATES		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional; Firearm, Self inflicted; Firearm, Assault	3	1	Fall, Unintentional	16	1	Fall, Unintentional	35
2	Suffocation, Self inflicted; Pedestrian, other, Unintentional; Machinery, Unintentional; Fall, Unintentional; Drowning, Unintentional	1	2	MVT, Unintentional	10	2	MVT, Unintentional	31
3			3	Unspecified, Unintentional	4	3	Natural/ Environ, Unintentional; Cut/ Pierce, Unintentional	13
4			4	Poisoning, Self inflicted	3	4	Overexertion, Unintentional	12
5			5	Suffocation, Unintentional; Poisoning, Unintentional; Poisoning, Undetermined; Other spec/class, Unintentional; Cut/ Pierce, Unintentional	2	5	Struck, Unintentional	9
	Other	0		Other	6		Other	38
TOTAL		14	TOTAL		49	TOTAL		151

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* GRAHAM			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* GRAHAM			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* GRAHAM		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	4	1	Fall, Unintentional	16	1	Fall, Unintentional	49
2	Firearm, Assault; Fire/ Burn, Unintentional	2	2	Poisoning, Unintentional	10	2	MVT, Unintentional	36
3	Unspecified, Assault; Transport, other, Unintentional; Suffocation, Self inflicted; Struck, Unintentional; Poisoning, Self inflicted; Firearm, Self inflicted	1	3	MVT, Unintentional	8	3	Overexertion, Unintentional	16
4			4	Poisoning, Self inflicted	6	4	Other spec/class, Unintentional	15
5			5	Unspecified, Unintentional	4	5	Struck, Unintentional	13
	Other	0		Other	11		Other	72
TOTAL		14	TOTAL		55	TOTAL		201

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* GRANVILLE			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* GRANVILLE			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* GRANVILLE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	22	1	Fall, Unintentional	132	1	Fall, Unintentional	605
2	Firearm, Self inflicted	9	2	MVT, Unintentional	87	2	Overexertion, Unintentional	495
3	Firearm, Assault	7	3	Poisoning, Self inflicted	61	3	MVT, Unintentional	416
4	Poisoning, Unintentional	6	4	Other spec/class, Unintentional	48	4	Struck, Unintentional	255
5	Poisoning, Self inflicted	3	5	Unspecified, Unintentional	44	5	Cut/ Pierce, Unintentional	254
	Other	14		Other	154		Other	774
TOTAL		61	TOTAL		526	TOTAL		2,799

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* GREENE			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* GREENE			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* GREENE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	6	1	Fall, Unintentional	48	1	Fall, Unintentional	151
2	Firearm, Self inflicted	2	2	MVT, Unintentional	24	2	MVT, Unintentional	129
3	Suffocation, Unintentional; Poisoning, Unintentional; Other spec/class, Unintentional; Machinery, Unintentional; Fire/ Burn, Unintentional; Cut/ Pierce, Assault	1	3	Unspecified, Unintentional; Poisoning, Self inflicted	19	3	Overexertion, Unintentional	112
4			4	Other spec/class, Unintentional	18	4	Unspecified, Unintentional	68
5			5	Natural/ Environ, Unintentional	12	5	Struck, Unintentional	67
	Other	0		Other	42		Other	300
TOTAL		14	TOTAL		182	TOTAL		827

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* GUILFORD			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* GUILFORD			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* GUILFORD		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	108	1	Fall, Unintentional	1,162	1	Fall, Unintentional	3,329
2	MVT, Unintentional	89	2	MVT, Unintentional	762	2	MVT, Unintentional	2,667
3	Firearm, Self inflicted	52	3	Poisoning, Self inflicted	611	3	Unspecified, Unintentional	1,537
4	Fall, Unintentional	33	4	Poisoning, Unintentional	367	4	Overexertion, Unintentional	1,274
5	Firearm, Assault	32	5	Unspecified, Unintentional	318	5	Struck, Unintentional	1,119
	Other	137		Other	1,460		Other	4,841
TOTAL		451	TOTAL		4,680	TOTAL		14,767

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* HALIFAX			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* HALIFAX			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* HALIFAX		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	21	1	Fall, Unintentional	175	1	Fall, Unintentional	903
2	Firearm, Self inflicted	8	2	MVT, Unintentional	108	2	MVT, Unintentional	578
3	Poisoning, Unintentional; Fall, Unintentional	7	3	Poisoning, Self inflicted	75	3	Unspecified, Unintentional	534
4	Suffocation, Unintentional; Firearm, Assault	4	4	Other spec/class, Unintentional	51	4	Struck, Unintentional	324
5	Unspecified, Unintentional; Suffocation, Self inflicted; Poisoning, Self inflicted; Cut/ Pierce, Assault	3	5	Unspecified, Unintentional	39	5	Overexertion, Unintentional	307
	Other	13		Other	258		Other	1,253
TOTAL		76	TOTAL		706	TOTAL		3,899

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* HARNETT			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* HARNETT			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* HARNETT		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	43	1	Fall, Unintentional	251	1	Fall, Unintentional	1,114
2	Poisoning, Unintentional	26	2	MVT, Unintentional	156	2	MVT, Unintentional	901
3	Firearm, Self inflicted	8	3	Poisoning, Self inflicted	116	3	Unspecified, Unintentional	536
4	Firearm, Assault	6	4	Other spec/class, Unintentional	95	4	Overexertion, Unintentional	532
5	Suffocation, Unintentional	4	5	Unspecified, Unintentional	77	5	Struck, Unintentional	414
	Other	25		Other	427		Other	1,718
TOTAL		112	TOTAL		1,122	TOTAL		5,215

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* HAYWOOD			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* HAYWOOD			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* HAYWOOD		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	22	1	Fall, Unintentional	239	1	Fall, Unintentional	1,036
2	Poisoning, Unintentional	16	2	MVT, Unintentional	88	2	Unspecified, Unintentional	501
3	Firearm, Self inflicted	14	3	Poisoning, Self inflicted	65	3	MVT, Unintentional	424
4	Fall, Unintentional	7	4	Unspecified, Unintentional	53	4	Overexertion, Unintentional	389
5	Poisoning, Self inflicted	5	5	Other spec/class, Unintentional	49	5	Struck, Unintentional	363
	Other	22		Other	252		Other	1,299
TOTAL		86	TOTAL		746	TOTAL		4,012

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* HENDERSON			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* HENDERSON			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* HENDERSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	38	1	Fall, Unintentional	321	1	Fall, Unintentional	259
2	MVT, Unintentional	29	2	Poisoning, Self inflicted	161	2	MVT, Unintentional	194
3	Firearm, Self inflicted	15	3	MVT, Unintentional	150	3	Overexertion, Unintentional	85
4	Fall, Unintentional	8	4	Poisoning, Unintentional	72	4	Unspecified, Unintentional	83
5	Suffocation, Self inflicted	7	5	Poisoning, Undetermined	67	5	Struck, Unintentional	62
	Other	33		Other	293		Other	332
TOTAL		130	TOTAL		1,064	TOTAL		1,015

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* HERTFORD			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* HERTFORD			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* HERTFORD		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	13	1	Fall, Unintentional	53	1	Fall, Unintentional	275
2	Poisoning, Unintentional	6	2	MVT, Unintentional	38	2	MVT, Unintentional	262
3	Firearm, Self inflicted	3	3	Other spec/class, Unintentional	16	3	Overexertion, Unintentional	94
4	Suffocation, Self inflicted; Poisoning, Self inflicted; Other spec/class, Unintentional; Firearm, Unintentional; Firearm, Legal intervention; Fall, Unintentional	1	4	Unspecified, Unintentional	15	4	Struck, Unintentional; Cut/ Pierce, Unintentional	82
5	Other	0	5	Poisoning, Self inflicted	13	5	Natural/ Environ, Unintentional	80
TOTAL		28	TOTAL		195	TOTAL		1,141

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* HOKE			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* HOKE			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* HOKE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	24	1	Fall, Unintentional	60	1	Fall, Unintentional	267
2	Poisoning, Unintentional	10	2	MVT, Unintentional	54	2	MVT, Unintentional	223
3	Poisoning, Self inflicted; Firearm, Self inflicted	4	3	Other spec/class, Unintentional	29	3	Unspecified, Unintentional	104
4	Firearm, Assault	3	4	Unspecified, Unintentional	24	4	Overexertion, Unintentional	103
5	Unspecified, Unintentional; Suffocation, Self inflicted; Struck, Unintentional; Other spec/class, Unintentional; Other spec/NEC, Unintentional; Other land transport, Unintentional; Fire/ Burn, Unintentional; Fall, Unintentional	1	5	Poisoning, Self inflicted	22	5	Struck, Unintentional	92
	Other	0		Other	82		Other	321
TOTAL		53	TOTAL		271	TOTAL		1,110

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* HYDE			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* HYDE			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* HYDE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Transport,other, Unintentional; Poisoning, Unintentional; MVT, Unintentional; Firearm, Self inflicted; Fall, Unintentional; Cut/ Pierce, Assault	1	1	Fall, Unintentional	11	1	Fall, Unintentional	32
2			2	Poisoning, Self inflicted	8	2	Unspecified, Unintentional	23
3			3	MVT, Unintentional	5	3	Struck, Unintentional; MVT, Unintentional	19
4			4	Machinery, Unintentional	2	4	Overexertion, Unintentional; Natural/ Environ, Unintentional	14
5			5	Transport, other, Unintentional; Poisoning, Unintentional; Poisoning, Undetermined; Other spec/not class, Unintentional; Firearm, Other; Fire/ Burn, Unintentional; Fire/ Burn, Assault	1	5	Cut/ Pierce, Unintentional	13
	Other	0		Other	0		Other	27
TOTAL		6	TOTAL		33	TOTAL		161

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* IREDELL			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* IREDELL			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* IREDELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	45	1	Fall, Unintentional	477	1	Fall, Unintentional	2,467
2	Poisoning, Unintentional	36	2	MVT, Unintentional	232	2	Overexertion, Unintentional	1,614
3	Firearm, Self inflicted	24	3	Poisoning, Self inflicted	210	3	MVT, Unintentional	1,536
4	Poisoning, Self inflicted	12	4	Poisoning, Unintentional	155	4	Struck, Unintentional	995
5	Fall, Unintentional	8	5	Unspecified, Unintentional	153	5	Unspecified, Unintentional	838
	Other	58		Other	632		Other	3,036
TOTAL		183	TOTAL		1,859	TOTAL		10,486

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* JACKSON			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* JACKSON			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* JACKSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	10	1	Fall, Unintentional	111	1	Fall, Unintentional	337
2	Poisoning, Self inflicted	9	2	Poisoning, Unintentional; MVT, Unintentional	28	2	Cut/ Pierce, Unintentional	151
3	Poisoning, Unintentional; Firearm, Self inflicted	6	3	Unspecified, Unintentional	26	3	MVT, Unintentional	135
4	Suffocation, Self inflicted	3	4	Poisoning, Self inflicted	23	4	Overexertion, Unintentional	125
5	Other spec/NEC, Unintentional; Fall, Unintentional; Drowning, Unintentional	2	5	Natural/ Environ, Unintentional	16	5	Struck, Unintentional	119
	Other	7		Other	81		Other	391
TOTAL		47	TOTAL		313	TOTAL		1,258

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* JOHNSTON			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* JOHNSTON			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* JOHNSTON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	52	1	Fall, Unintentional	394	1	Fall, Unintentional	2,036
2	Poisoning, Unintentional	24	2	MVT, Unintentional	244	2	MVT, Unintentional	1,407
3	Firearm, Self inflicted	21	3	Unspecified, Unintentional	221	3	Unspecified, Unintentional	1,376
4	Poisoning, Self inflicted	8	4	Poisoning, Self inflicted	186	4	Overexertion, Unintentional	1,266
5	Firearm, Assault	7	5	Other spec/class, Unintentional	111	5	Struck, Unintentional	753
	Other	38		Other	598		Other	2,839
TOTAL		150	TOTAL		1,754	TOTAL		9,677

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* JONES			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* JONES			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* JONES		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	4	1	Fall, Unintentional	32	1	Fall, Unintentional	96
2	Other spec/class, Unintentional	2	2	MVT, Unintentional	29	2	Overexertion, Unintentional	87
3	Suffocation, Self inflicted; Machinery, Unintentional; Firearm, Self inflicted; Firearm, Assault	1	3	Other spec/class, Unintentional	15	3	MVT, Unintentional	83
4			4	Poisoning, Unintentional	8	4	Unspecified, Unintentional	61
5			5	Unspecified, Unintentional	7	5	Struck, Unintentional	43
	Other	0		Other	43		Other	173
TOTAL		10	TOTAL		134	TOTAL		543

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* LEE			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* LEE			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* LEE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	29	1	Fall, Unintentional	142	1	Fall, Unintentional	797
2	Poisoning, Unintentional	13	2	MVT, Unintentional	89	2	MVT, Unintentional	684
3	Firearm, Assault	7	3	Poisoning, Self inflicted	52	3	Unspecified, Unintentional	397
4	Struck, Unintentional; Firearm, Self inflicted	3	4	Unspecified, Unintentional; Poisoning, Unintentional	46	4	Overexertion, Unintentional	301
5	Suffocation, Unintentional; Suffocation, Self inflicted; Poisoning, Self inflicted; Fire/ Burn, Unintentional	2	5	Other spec/class, Unintentional	37	5	Struck, Unintentional	288
	Other	5		Other	175		Other	1,132
TOTAL		68	TOTAL		587	TOTAL		3,599

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* LENOIR			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* LENOIR			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* LENOIR		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	18	1	Fall, Unintentional	167	1	Fall, Unintentional	907
2	Firearm, Self inflicted	9	2	Unspecified, Unintentional	93	2	Overexertion, Unintentional	818
3	Poisoning, Unintentional	7	3	Poisoning, Self inflicted	90	3	MVT, Unintentional	722
4	Suffocation, Unintentional	5	4	MVT, Unintentional	89	4	Unspecified, Unintentional	456
5	Poisoning, Self inflicted; Firearm, Assault; Fire/ Burn, Unintentional; Fall, Unintentional	3	5	Poisoning, Unintentional	41	5	Struck, Unintentional	412
	Other	9		Other	261		Other	1,334
TOTAL		60	TOTAL		741	TOTAL		4,649

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* LINCOLN			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* LINCOLN			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* LINCOLN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	36	1	Fall, Unintentional	197	1	Fall, Unintentional	1,114
2	Poisoning, Unintentional; Firearm, Self inflicted	20	2	MVT, Unintentional	152	2	MVT, Unintentional	751
3	Poisoning, Self inflicted	7	3	Poisoning, Self inflicted	117	3	Overexertion, Unintentional	645
4	Fall, Unintentional	5	4	Unspecified, Unintentional	61	4	Struck, Unintentional	502
5	Firearm, Assault	4	5	Other spec/class, Unintentional	58	5	Cut/ Pierce, Unintentional	420
	Other	11		Other	262		Other	1,441
TOTAL		103	TOTAL		847	TOTAL		4,873

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* McDOWELL			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* McDOWELL			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* McDOWELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	16	1	Fall, Unintentional	149	1	Fall, Unintentional	445
2	MVT, Unintentional	11	2	MVT, Unintentional	67	2	MVT, Unintentional	288
3	Firearm, Self inflicted	7	3	Poisoning, Self inflicted	66	3	Overexertion, Unintentional	107
4	Poisoning, Self inflicted	6	4	Poisoning, Unintentional	47	4	Struck, Unintentional	90
5	Firearm, Assault; Fall, Unintentional	3	5	Unspecified, Unintentional	21	5	Struck, Assault	86
	Other	10		Other	133		Other	469
TOTAL		56	TOTAL		483	TOTAL		1,485

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* MACON			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* MACON			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* MACON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	16	1	Fall, Unintentional	91	1	Fall, Unintentional	486
2	MVT, Unintentional; Firearm, Self inflicted	9	2	MVT, Unintentional	43	2	Overexertion, Unintentional	204
3	Poisoning, Self inflicted	8	3	Poisoning, Unintentional	15	3	Struck, Unintentional	158
4	Firearm, Assault	6	4	Natural/ Environ, Unintentional	13	4	Cut/ Pierce, Unintentional	151
5	Natural/ Environ, Unintentional; Fall, Unintentional	3	5	Poisoning, Self inflicted	12	5	MVT, Unintentional	145
	Other	8		Other	66		Other	496
TOTAL		62	TOTAL		240	TOTAL		1,640

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* MADISON			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* MADISON			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* MADISON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	9	1	Fall, Unintentional	40	1	Fall, Unintentional	70
2	Poisoning, Unintentional	5	2	MVT, Unintentional	29	2	MVT, Unintentional	55
3	Poisoning, Self inflicted; Firearm, Self inflicted	4	3	Other spec/class, Unintentional	10	3	Struck, Unintentional	20
4	Suffocation, Unintentional	2	4	Unspecified, Unintentional	9	4	Overexertion, Unintentional	19
5	Transport, other, Unintentional; Suffocation, Self inflicted; Other spec/NEC, Unintentional; Firearm, Unintentional; Firearm, Assault; Fall, Unintentional; Cut/ Pierce, Unintentional; Cut/ Pierce, Self inflicted	1	5	Transport, other, Unintentional	8	5	Unspecified, Unintentional	17
	Other	0		Other	48		Other	102
TOTAL		32	TOTAL		144	TOTAL		283

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* MARTIN			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* MARTIN			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* MARTIN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	11	1	Fall, Unintentional	55	1	Fall, Unintentional	128
2	Firearm, Assault	5	2	MVT, Unintentional	53	2	MVT, Unintentional	111
3	Poisoning, Unintentional; Poisoning, Self inflicted; Firearm, Self inflicted; Fire/ Burn, Unintentional; Fall, Unintentional	2	3	Unspecified, Unintentional	35	3	Unspecified, Unintentional	85
4	Unspecified, Assault; Suffocation, Self inflicted; Other spec/NEC, Unintentional; Other land transport, Unintentional; Fire/ Burn, Self inflicted; Drowning, Unintentional	1	4	Poisoning, Self inflicted	30	4	Struck, Unintentional	63
5	Other	0	5	Other spec/class, Unintentional	18	5	Overexertion, Unintentional	51
TOTAL		32	TOTAL	Other	81	TOTAL	Other	214
					272			652

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* MECKLENBURG			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* MECKLENBURG			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* MECKLENBURG		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	135	1	Fall, Unintentional	1,548	1	Fall, Unintentional	8,151
2	Poisoning, Unintentional	126	2	MVT, Unintentional	825	2	MVT, Unintentional	7,341
3	Firearm, Self inflicted	80	3	Poisoning, Self inflicted	600	3	Unspecified, Unintentional	4,735
4	Firearm, Assault	68	4	Unspecified, Unintentional	586	4	Overexertion, Unintentional	4,401
5	Poisoning, Self inflicted	37	5	Poisoning, Unintentional	555	5	Struck, Unintentional	3,222
	Other	175		Other	2,266		Other	12,300
TOTAL		621	TOTAL		6,380	TOTAL		40,150

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* MITCHELL			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* MITCHELL			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* MITCHELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	11	1	Fall, Unintentional	57	1	Fall, Unintentional	75
2	MVT, Unintentional	8	2	Poisoning, Unintentional; MVT, Unintentional	28	2	MVT, Unintentional	53
3	Firearm, Self inflicted	3	3	Other spec/class, Unintentional	25	3	Other spec/class, Unintentional	20
4	Struck, Unintentional	2	4	Poisoning, Self inflicted	18	4	Struck, Unintentional; Overexertion, Unintentional	14
5	Unspecified, Assault; Poisoning, Self inflicted; Other land transport, Unintentional; Machinery, Unintentional; Fall, Unintentional; Drowning, Unintentional	1	5	Unspecified, Unintentional	8	5	Unspecified, Unintentional; Natural/ Environ, Unintentional	11
	Other	0		Other	36		Other	54
TOTAL		30	TOTAL		200	TOTAL		252

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* MONTGOMERY			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* MONTGOMERY			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* MONTGOMERY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	16	1	Fall, Unintentional	87	1	Fall, Unintentional	453
2	Poisoning, Unintentional; Firearm, Self inflicted	11	2	MVT, Unintentional	40	2	Overexertion, Unintentional	274
3	Unspecified, Unintentional; Suffocation, Self inflicted; Firearm, Assault	2	3	Poisoning, Self inflicted	33	3	MVT, Unintentional	200
4	Unspecified, Assault; Suffocation, Unintentional; Other spec/NEC, Unintentional; Other land transport, Unintentional; Fire/ Burn, Unintentional; Fall, Unintentional	1	4	Other spec/class, Unintentional	21	4	Cut/ Pierce, Unintentional	172
5			5	Unspecified, Unintentional; Poisoning, Unintentional	15	5	Natural/ Environ, Unintentional	159
	Other	0		Other	84		Other	672
TOTAL		50	TOTAL		295	TOTAL		1,930

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* MOORE			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* MOORE			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* MOORE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	25	1	Fall, Unintentional	181	1	Fall, Unintentional	1,192
2	Poisoning, Unintentional	19	2	MVT, Unintentional	131	2	MVT, Unintentional	705
3	Poisoning, Self inflicted	13	3	Poisoning, Self inflicted	78	3	Overexertion, Unintentional	648
4	Firearm, Self inflicted	12	4	Poisoning, Unintentional	42	4	Cut/ Pierce, Unintentional	459
5	Firearm, Assault; Drowning, Unintentional	5	5	Other spec/class, Unintentional	35	5	Struck, Unintentional	439
	Other	25		Other	244		Other	1,567
TOTAL		104	TOTAL		711	TOTAL		5,010

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* NASH			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* NASH			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* NASH		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	29	1	Fall, Unintentional	247	1	Fall, Unintentional	230
2	Poisoning, Unintentional	25	2	MVT, Unintentional	140	2	MVT, Unintentional	173
3	Firearm, Self inflicted	20	3	Unspecified, Unintentional	77	3	Overexertion, Unintentional	135
4	Firearm, Assault	11	4	Poisoning, Self inflicted	71	4	Unspecified, Unintentional	116
5	Suffocation, Unintentional; Fall, Unintentional	4	5	Poisoning, Unintentional	61	5	Cut/ Pierce, Unintentional	79
	Other	22		Other	299		Other	351
TOTAL		115	TOTAL		895	TOTAL		1,084

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* NEW HANOVER			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* NEW HANOVER			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* NEW HANOVER		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	55	1	Fall, Unintentional	379	1	Fall, Unintentional	2,317
2	MVT, Unintentional	39	2	Poisoning, Self inflicted	215	2	MVT, Unintentional	1,761
3	Firearm, Self inflicted	24	3	MVT, Unintentional	175	3	Unspecified, Unintentional	1,032
4	Poisoning, Self inflicted	20	4	Other spec/class, Unintentional	134	4	Overexertion, Unintentional	1,016
5	Suffocation, Self inflicted; Fall, Unintentional	12	5	Unspecified, Unintentional	133	5	Struck, Unintentional	719
	Other	47		Other	553		Other	3,021
TOTAL		209	TOTAL		1,589	TOTAL		9,866

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* NORTHAMPTON			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* NORTHAMPTON			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* NORTHAMPTON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	7	1	Fall, Unintentional	38	1	Fall, Unintentional	304
2	Suffocation, Unintentional; Poisoning, Unintentional; Poisoning, Self inflicted	2	2	MVT, Unintentional	35	2	MVT, Unintentional	210
3	Unspecified, Assault; Firearm, Self inflicted; Firearm, Legal intervention; Firearm, Assault; Cut/ Pierce, Assault	1	3	Other spec/class, Unintentional	15	3	Unspecified, Unintentional	153
4			4	Poisoning, Self inflicted	13	4	Struck, Unintentional	109
5			5	Unspecified, Unintentional	11	5	Overexertion, Unintentional	91
	Other	0		Other	71		Other	439
TOTAL		18	TOTAL		183	TOTAL		1,306

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* ONSLOW			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* ONSLOW			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* ONSLOW		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	37	1	Fall, Unintentional	255	1	Fall, Unintentional	1,362
2	Poisoning, Unintentional	33	2	MVT, Unintentional	180	2	MVT, Unintentional	889
3	Firearm, Self inflicted	12	3	Poisoning, Unintentional	87	3	Unspecified, Unintentional	613
4	Suffocation, Self inflicted; Firearm, Assault	7	4	Other spec/class, Unintentional	68	4	Overexertion, Unintentional	560
5	Poisoning, Self inflicted	6	5	Poisoning, Self inflicted	66	5	Cut/ Pierce, Unintentional	415
	Other	25		Other	340		Other	2,014
TOTAL		127	TOTAL		996	TOTAL		5,853

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* ORANGE			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* ORANGE			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* ORANGE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	24	1	Fall, Unintentional	237	1	Fall, Unintentional	842
2	Poisoning, Unintentional	23	2	MVT, Unintentional	149	2	Overexertion, Unintentional	529
3	Firearm, Self inflicted	15	3	Poisoning, Self inflicted	137	3	MVT, Unintentional	491
4	Poisoning, Self inflicted	14	4	Poisoning, Unintentional	123	4	Cut/ Pierce, Unintentional	363
5	Firearm, Assault	7	5	Other spec/class, Unintentional	75	5	Struck, Unintentional	328
	Other	28		Other	390		Other	1,363
TOTAL		111	TOTAL		1,111	TOTAL		3,916

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* PAMLICO			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* PAMLICO			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* PAMLICO		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	5	1	Fall, Unintentional	38	1	Fall, Unintentional	84
2	Firearm, Self inflicted	3	2	Unspecified, Unintentional	17	2	Overexertion, Unintentional	69
3	Poisoning, Unintentional; Poisoning, Self inflicted	2	3	Poisoning, Self inflicted	16	3	MVT, Unintentional	67
4	Unspecified, Assault; Transport, other, Unintentional; Suffocation, Self inflicted; Drowning, Unintentional	1	4	MVT, Unintentional	15	4	Struck, Unintentional	40
5			5	Poisoning, Unintentional	14	5	Unspecified, Unintentional	39
	Other	0		Other	58		Other	155
TOTAL		16	TOTAL		158	TOTAL		454

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* PASQUOTANK			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* PASQUOTANK			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* PASQUOTANK		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional; MVT, Unintentional	12	1	Fall, Unintentional	88	1	MVT, Unintentional	92
2	Firearm, Self inflicted	7	2	MVT, Unintentional	35	2	Fall, Unintentional	48
3	Firearm, Assault	3	3	Unspecified, Unintentional	31	3	Unspecified, Unintentional	26
4	Suffocation, Self inflicted	2	4	Poisoning, Self inflicted	28	4	Overexertion, Unintentional	22
5	Unspecified, Unintentional; Transport, other, Unintentional; Poisoning, Self inflicted; Other spec/class, Unintentional; Drowning, Unintentional	1	5	Poisoning, Unintentional	16	5	Natural/ Environ, Unintentional	15
	Other	0		Other	79		Other	63
TOTAL		41	TOTAL		277	TOTAL		266

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* PENDER			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* PENDER			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* PENDER		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	18	1	Fall, Unintentional	98	1	Fall, Unintentional	441
2	Firearm, Self inflicted	12	2	MVT, Unintentional	85	2	MVT, Unintentional	434
3	Poisoning, Unintentional	9	3	Other spec/class, Unintentional	42	3	Unspecified, Unintentional	161
4	Fire/ Burn, Unintentional	3	4	Unspecified, Unintentional	36	4	Overexertion, Unintentional	150
5	Other land transport, Unintentional; Firearm, Assault; Fall, Unintentional; Drowning, Unintentional	2	5	Poisoning, Unintentional	27	5	Struck, Unintentional	111
	Other	10		Other	128		Other	471
TOTAL		60	TOTAL		416	TOTAL		1,768

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* PERQUIMANS			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* PERQUIMANS			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* PERQUIMANS		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	4	1	Fall, Unintentional	35	1	MVT, Unintentional; Fall, Unintentional	43
2	Poisoning, Unintentional	2	2	MVT, Unintentional	20	2	Unspecified, Unintentional; Overexertion, Unintentional	20
3	Unspecified, Assault; Struck, Unintentional; Poisoning, Undetermined; Machinery, Unintentional; Firearm, Self inflicted; Firearm, Assault	1	3	Unspecified, Unintentional; Natural/ Environ, Unintentional	13	3	Struck, Unintentional	18
4			4	Poisoning, Self inflicted	10	4	Cut/ Pierce, Unintentional	14
5			5	Struck, Unintentional; Poisoning, Unintentional	4	5	Natural/ Environ, Unintentional	12
	Other	0		Other	20		Other	34
TOTAL		12	TOTAL		119	TOTAL		204

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* PERSON			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* PERSON			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* PERSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	13	1	Fall, Unintentional	125	1	Fall, Unintentional	590
2	MVT, Unintentional	12	2	MVT, Unintentional	70	2	Overexertion, Unintentional	430
3	Poisoning, Self inflicted; Firearm, Self inflicted	4	3	Poisoning, Unintentional	38	3	MVT, Unintentional	362
4	Drowning, Unintentional	3	4	Unspecified, Unintentional	36	4	Struck, Unintentional	312
5	Natural/ Environ, Unintentional; Machinery, Unintentional; Fire/ Burn, Unintentional	2	5	Poisoning, Self inflicted	34	5	Cut/ Pierce, Unintentional	255
	Other	9		Other	171		Other	809
TOTAL		51	TOTAL		474	TOTAL		2,758

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* PITT			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* PITT			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* PITT		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	42	1	Fall, Unintentional	283	1	Fall, Unintentional	952
2	Poisoning, Unintentional	25	2	MVT, Unintentional	181	2	MVT, Unintentional	777
3	Firearm, Self inflicted	17	3	Poisoning, Self inflicted	151	3	Overexertion, Unintentional	434
4	Fall, Unintentional	8	4	Poisoning, Unintentional	78	4	Cut/ Pierce, Unintentional	398
5	Poisoning, Self inflicted; Firearm, Assault	6	5	Unspecified, Unintentional	64	5	Struck, Unintentional	380
	Other	22		Other	380		Other	1,562
TOTAL		126	TOTAL		1,137	TOTAL		4,503

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* POLK			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* POLK			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* POLK		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Firearm, Self inflicted	8	1	Fall, Unintentional	38	1	Fall, Unintentional	113
2	Poisoning, Unintentional	7	2	Poisoning, Self inflicted	22	2	MVT, Unintentional	71
3	MVT, Unintentional	5	3	Poisoning, Unintentional; MVT, Unintentional	16	3	Overexertion, Unintentional	28
4	Poisoning, Self inflicted	4	4	Natural/ Environ, Unintentional	14	4	Unspecified, Unintentional; Other spec/class, Unintentional	18
5	Firearm, Assault	3	5	Other spec/class, Unintentional	12	5	Struck, Unintentional	17
	Other	6		Other	50		Other	85
TOTAL		33	TOTAL		168	TOTAL		350

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* RANDOLPH			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* RANDOLPH			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* RANDOLPH		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	48	1	Fall, Unintentional	324	1	Fall, Unintentional	1,964
2	Firearm, Self inflicted	38	2	MVT, Unintentional	218	2	MVT, Unintentional	1,094
3	Poisoning, Unintentional	34	3	Poisoning, Self inflicted	128	3	Overexertion, Unintentional	744
4	Poisoning, Self inflicted; Firearm, Assault	12	4	Unspecified, Unintentional	104	4	Unspecified, Unintentional	684
5	Suffocation, Self inflicted; Fire/ Burn, Unintentional	7	5	Poisoning, Unintentional	82	5	Struck, Unintentional	630
	Other	31		Other	413		Other	2,520
TOTAL		189	TOTAL		1,269	TOTAL		7,636

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* RICHMOND			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* RICHMOND			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* RICHMOND		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	20	1	Fall, Unintentional	190	1	Fall, Unintentional	917
2	MVT, Unintentional	16	2	MVT, Unintentional	108	2	MVT, Unintentional	646
3	Firearm, Self inflicted	10	3	Poisoning, Self inflicted	77	3	Overexertion, Unintentional	443
4	Firearm, Assault	6	4	Poisoning, Unintentional	57	4	Unspecified, Unintentional	395
5	Poisoning, Self inflicted	5	5	Other spec/class, Unintentional	55	5	Struck, Unintentional	359
	Other	17		Other	286		Other	1,419
TOTAL		74	TOTAL		773	TOTAL		4,179

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* ROBESON			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* ROBESON			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* ROBESON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	86	1	Fall, Unintentional	397	1	Fall, Unintentional	1,852
2	Firearm, Assault	24	2	Unspecified, Unintentional	293	2	MVT, Unintentional	1,686
3	Poisoning, Unintentional	16	3	MVT, Unintentional	266	3	Unspecified, Unintentional	1,232
4	Firearm, Self inflicted	11	4	Poisoning, Unintentional	192	4	Overexertion, Unintentional	846
5	Fall, Unintentional	5	5	Poisoning, Self inflicted	175	5	Struck, Unintentional	538
	Other	39		Other	711		Other	2,500
TOTAL		181	TOTAL		2,034	TOTAL		8,654
Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* ROCKINGHAM			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* ROCKINGHAM			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* ROCKINGHAM		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	40	1	Fall, Unintentional	393	1	Fall, Unintentional	1,460
2	Poisoning, Unintentional	37	2	Poisoning, Self inflicted	198	2	MVT, Unintentional	674
3	Firearm, Self inflicted	13	3	MVT, Unintentional	192	3	Unspecified, Unintentional	558
4	Firearm, Assault	9	4	Poisoning, Unintentional	123	4	Overexertion, Unintentional	545
5	Poisoning, Self inflicted; Fire/ Burn, Unintentional	6	5	Other spec/class, Unintentional	105	5	Struck, Unintentional	456
	Other	36		Other	422		Other	1,963
TOTAL		147	TOTAL		1,433	TOTAL		5,656
Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* ROWAN			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* ROWAN			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* ROWAN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	52	1	Fall, Unintentional	344	1	Fall, Unintentional	945
2	MVT, Unintentional	40	2	MVT, Unintentional	220	2	MVT, Unintentional	725
3	Firearm, Self inflicted	30	3	Unspecified, Unintentional	159	3	Overexertion, Unintentional	471
4	Poisoning, Self inflicted	12	4	Poisoning, Self inflicted	155	4	Unspecified, Unintentional	417
5	Suffocation, Unintentional; Fall, Unintentional	6	5	Other spec/class, Unintentional	105	5	Struck, Unintentional	303
	Other	40		Other	409		Other	1,180
TOTAL		186	TOTAL		1,392	TOTAL		4,041

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* RUTHERFORD			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* RUTHERFORD			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* RUTHERFORD		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	33	1	Fall, Unintentional	201	1	Fall, Unintentional	1,235
2	MVT, Unintentional	20	2	Poisoning, Unintentional	113	2	Overexertion, Unintentional	584
3	Firearm, Self inflicted	15	3	MVT, Unintentional	101	3	MVT, Unintentional	572
4	Poisoning, Self inflicted	6	4	Poisoning, Self inflicted	95	4	Unspecified, Unintentional	442
5	Unspecified, Unintentional	4	5	Unspecified, Unintentional	47	5	Struck, Unintentional	350
	Other	18		Other	265		Other	1,369
TOTAL		96	TOTAL		822	TOTAL		4,552

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* SAMPSON			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* SAMPSON			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* SAMPSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	23	1	Fall, Unintentional	172	1	Fall, Unintentional	799
2	Poisoning, Unintentional	21	2	MVT, Unintentional	138	2	MVT, Unintentional	697
3	Firearm, Assault	9	3	Unspecified, Unintentional	85	3	Overexertion, Unintentional	451
4	Firearm, Self inflicted	8	4	Other spec/class, Unintentional	56	4	Unspecified, Unintentional	403
5	Unspecified, Unintentional; Fall, Unintentional	5	5	Poisoning, Self inflicted	46	5	Struck, Unintentional; Natural/ Environ, Unintentional	281
	Other	26		Other	283		Other	1,004
TOTAL		97	TOTAL		780	TOTAL		3,916

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* SCOTLAND			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* SCOTLAND			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* SCOTLAND		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	18	1	Fall, Unintentional	131	1	Fall, Unintentional	629
2	Poisoning, Unintentional	11	2	MVT, Unintentional	59	2	MVT, Unintentional	402
3	Firearm, Self inflicted	5	3	Poisoning, Unintentional	54	3	Unspecified, Unintentional	297
4	Firearm, Assault	4	4	Poisoning, Self inflicted	49	4	Overexertion, Unintentional	275
5	Unspecified, Unintentional; Suffocation, Self inflicted; Cut/ Pierce, Assault	3	5	Unspecified, Unintentional	32	5	Struck, Unintentional	197
	Other	8		Other	159		Other	767
TOTAL		55	TOTAL		484	TOTAL		2,567

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* STANLY			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* STANLY			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* STANLY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	19	1	Fall, Unintentional	171	1	Fall, Unintentional	352
2	Firearm, Self inflicted	16	2	MVT, Unintentional	104	2	MVT, Unintentional	240
3	Poisoning, Unintentional	13	3	Poisoning, Self inflicted	75	3	Overexertion, Unintentional	186
4	Poisoning, Self inflicted	8	4	Unspecified, Unintentional	48	4	Unspecified, Unintentional	144
5	Drowning, Unintentional	4	5	Other spec/class, Unintentional	47	5	Struck, Unintentional	115
	Other	15		Other	177		Other	571
TOTAL		75	TOTAL		622	TOTAL		1,608

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* STOKES			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* STOKES			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* STOKES		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	21	1	Fall, Unintentional	172	1	Fall, Unintentional	773
2	Firearm, Self inflicted	11	2	MVT, Unintentional	92	2	Unspecified, Unintentional	332
3	Poisoning, Unintentional	8	3	Poisoning, Self inflicted	67	3	MVT, Unintentional	320
4	Suffocation, Self inflicted	4	4	Poisoning, Unintentional	44	4	Overexertion, Unintentional	289
5	Poisoning, Self inflicted; Fall, Unintentional	3	5	Unspecified, Unintentional	34	5	Struck, Unintentional	268
	Other	13		Other	205		Other	907
TOTAL		63	TOTAL		614	TOTAL		2,889

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* SURRY			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* SURRY			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* SURRY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	27	1	Fall, Unintentional	278	1	Fall, Unintentional	1,377
2	Poisoning, Unintentional	25	2	MVT, Unintentional	134	2	Overexertion, Unintentional	697
3	Firearm, Self inflicted	15	3	Poisoning, Self inflicted	123	3	MVT, Unintentional	629
4	Poisoning, Self inflicted; Fall, Unintentional	4	4	Poisoning, Unintentional	71	4	Struck, Unintentional	492
5	Unspecified, Unintentional; Firearm, Assault	3	5	Unspecified, Unintentional	62	5	Unspecified, Unintentional	438
	Other	14		Other	292		Other	1,752
TOTAL		95	TOTAL		960	TOTAL		5,385

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* SWAIN			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* SWAIN			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* SWAIN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	10	1	Fall, Unintentional	54	1	Fall, Unintentional	207
2	Poisoning, Unintentional	9	2	MVT, Unintentional	36	2	Overexertion, Unintentional	88
3	Firearm, Self inflicted; Fall, Unintentional	2	3	Poisoning, Self inflicted	20	3	Cut/ Pierce, Unintentional	77
4	Unspecified, Assault; Transport, other, Unintentional; Suffocation, Self inflicted; Other land transport, Unintentional; Natural/ Environ, Unintentional; Firearm, Assault; Drowning, Unintentional	1	4	Unspecified, Unintentional; Poisoning, Unintentional	17	4	MVT, Unintentional	72
5	Other	0	5	Natural/ Environ, Unintentional	8	5	Struck, Unintentional	70
TOTAL		30	TOTAL		213	TOTAL		761

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* TRANSYLVANIA			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* TRANSYLVANIA			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* TRANSYLVANIA		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	11	1	Fall, Unintentional	66	1	Fall, Unintentional	594
2	MVT, Unintentional	9	2	Poisoning, Self inflicted	41	2	Overexertion, Unintentional	349
3	Firearm, Self inflicted	7	3	MVT, Unintentional	39	3	Unspecified, Unintentional	315
4	Fall, Unintentional	2	4	Poisoning, Unintentional	27	4	Struck, Unintentional	250
5	Unspecified, Assault; Suffocation, Unintentional; Suffocation, Self inflicted; Poisoning, Self inflicted; Other spec/class, Unintentional	1	5	Other spec/class, Unintentional	22	5	MVT, Unintentional	246
	Other	0		Other	105		Other	791
TOTAL		34	TOTAL		300	TOTAL		2,545

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* TYRRELL			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* TYRRELL			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* TYRRELL		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	2	1	Fall, Unintentional	6	1	Fall, Unintentional	22
2	Transport, other, Unintentional; Poisoning, Self inflicted	1	2	Poisoning, Self inflicted	5	2	MVT, Unintentional	17
3			3	MVT, Unintentional	4	3	Struck, Unintentional; Cut/ Pierce, Unintentional	12
4			4	Transport, other, Unintentional; Other spec/not class, Unintentional; Other spec/class, Unintentional	2	4	Overexertion, Unintentional	11
5			5	Unspecified, Unintentional; Struck, Unintentional; Overexertion, Unintentional; Other spec/class, Other; Natural/ Environ, Unintentional; Machinery, Unintentional; Cut/ Pierce, Unintentional	1	5	Unspecified, Unintentional	9
	Other	0		Other	0		Other	18
TOTAL		4	TOTAL		28	TOTAL		101

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* UNION			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* UNION			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* UNION		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	46	1	Fall, Unintentional	355	1	Fall, Unintentional	1,459
2	Poisoning, Unintentional	29	2	MVT, Unintentional	239	2	MVT, Unintentional	1,305
3	Firearm, Self inflicted	21	3	Unspecified, Unintentional	124	3	Overexertion, Unintentional	1,045
4	Poisoning, Self inflicted; Firearm, Assault; Fall, Unintentional	8	4	Poisoning, Self inflicted	112	4	Unspecified, Unintentional	918
5	Suffocation, Self inflicted; Fire/ Burn, Unintentional	3	5	Other spec/class, Unintentional	94	5	Cut/ Pierce, Unintentional	655
	Other	20		Other	427		Other	2,165
TOTAL		146	TOTAL		1,351	TOTAL		7,547

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* VANCE			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* VANCE			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* VANCE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	18	1	Fall, Unintentional	155	1	Fall, Unintentional	326
2	MVT, Unintentional	10	2	MVT, Unintentional	94	2	MVT, Unintentional	189
3	Firearm, Assault	7	3	Poisoning, Self inflicted	46	3	Overexertion, Unintentional	170
4	Fall, Unintentional	6	4	Unspecified, Unintentional	40	4	Struck, Unintentional	96
5	Firearm, Self inflicted	5	5	Other spec/class, Unintentional	38	5	Unspecified, Unintentional	89
	Other	17		Other	216		Other	391
TOTAL		63	TOTAL		589	TOTAL		1,261

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* WAKE			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* WAKE			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* WAKE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	104	1	Fall, Unintentional	1,491	1	Fall, Unintentional	7,213
2	Poisoning, Unintentional	97	2	MVT, Unintentional	834	2	MVT, Unintentional	5,753
3	Firearm, Self inflicted	78	3	Poisoning, Self inflicted	505	3	Overexertion, Unintentional	3,606
4	Poisoning, Self inflicted	41	4	Unspecified, Unintentional	439	4	Struck, Unintentional	3,079
5	Fall, Unintentional	29	5	Other spec/class, Unintentional	378	5	Cut/ Pierce, Unintentional	2,510
	Other	142		Other	1,852		Other	9,511
TOTAL		491	TOTAL		5,499	TOTAL		31,672

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* WARREN			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* WARREN			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* WARREN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	14	1	MVT, Unintentional	39	1	Fall, Unintentional	100
2	Poisoning, Unintentional; Firearm, Self inflicted; Firearm, Assault; Drowning, Unintentional	2	2	Fall, Unintentional	35	2	MVT, Unintentional	75
3	Suffocation, Unintentional; Suffocation, Self inflicted; Other land transport, Unintentional; Natural/ Environ, Unintentional; Machinery, Unintentional; Cut/ Pierce, Assault	1	3	Unspecified, Unintentional	15	3	Overexertion, Unintentional	45
4			4	Poisoning, Self inflicted	11	4	Struck, Unintentional	30
5			5	Other spec/class, Unintentional	10	5	Unspecified, Unintentional	24
	Other	0		Other	57		Other	85
TOTAL		28	TOTAL		167	TOTAL		359
Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* WASHINGTON			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* WASHINGTON			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* WASHINGTON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	4	1	Fall, Unintentional	26	1	MVT, Unintentional; Fall, Unintentional	42
2	Unspecified, Assault; Poisoning, Unintentional; Firearm, Self inflicted; Fire/ Burn, Unintentional; Fall, Unintentional	1	2	Poisoning, Self inflicted; MVT, Unintentional	15	2	Overexertion, Unintentional	26
3			3	Poisoning, Unintentional	11	3	Unspecified, Unintentional	20
4			4	Unspecified, Unintentional; Other spec/class, Unintentional	8	4	Other spec/class, Unintentional	12
5			5	Fire/ Burn, Unintentional	6	5	Natural/ Environ, Unintentional; Cut/ Pierce, Unintentional	11
	Other	0		Other	26		Other	37
TOTAL		9	TOTAL		115	TOTAL		201

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* WATAUGA			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* WATAUGA			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* WATAUGA		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional; MVT, Unintentional	11	1	Fall, Unintentional	103	1	Fall, Unintentional	234
2	Firearm, Self inflicted	7	2	Poisoning, Self inflicted	33	2	Overexertion, Unintentional	112
3	Suffocation, Self inflicted	4	3	Unspecified, Unintentional	32	3	MVT, Unintentional	95
4	Poisoning, Self inflicted	3	4	MVT, Unintentional	28	4	Struck, Unintentional	88
5	Suffocation, Unintentional; Poisoning, Undetermined; Fire/ Burn, Unintentional	2	5	Poisoning, Unintentional	24	5	Cut/ Pierce, Unintentional	64
	Other	6		Other	102		Other	280
TOTAL		48	TOTAL		322	TOTAL		873

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* WAYNE			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* WAYNE			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* WAYNE		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	27	1	Fall, Unintentional	327	1	Fall, Unintentional	1,530
2	Firearm, Self inflicted	14	2	Unspecified, Unintentional	206	2	MVT, Unintentional	1,247
3	Poisoning, Unintentional	13	3	MVT, Unintentional	178	3	Overexertion, Unintentional	750
4	Suffocation, Self inflicted	8	4	Poisoning, Self inflicted	124	4	Unspecified, Unintentional	677
5	Firearm, Assault	7	5	Other spec/class, Unintentional	77	5	Struck, Unintentional	589
	Other	30		Other	441		Other	2,317
TOTAL		99	TOTAL		1,353	TOTAL		7,110

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* WILKES			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* WILKES			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* WILKES		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	36	1	Fall, Unintentional	248	1	Fall, Unintentional	187
2	MVT, Unintentional	25	2	Poisoning, Self inflicted; MVT, Unintentional	133	2	MVT, Unintentional	131
3	Firearm, Self inflicted	23	3	Poisoning, Unintentional	68	3	Overexertion, Unintentional	65
4	Poisoning, Self inflicted; Firearm, Assault	6	4	Unspecified, Unintentional	67	4	Unspecified, Unintentional	64
5	Suffocation, Self inflicted	5	5	Other spec/class, Unintentional	59	5	Poisoning, Unintentional	63
	Other	18		Other	272		Other	267
TOTAL		119	TOTAL		980	TOTAL		777

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* WILSON			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* WILSON			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* WILSON		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	MVT, Unintentional	28	1	Fall, Unintentional	200	1	Fall, Unintentional	477
2	Poisoning, Unintentional	10	2	MVT, Unintentional	106	2	MVT, Unintentional	468
3	Firearm, Assault	9	3	Poisoning, Self inflicted	84	3	Overexertion, Unintentional	405
4	Firearm, Self inflicted	7	4	Unspecified, Unintentional	63	4	Unspecified, Unintentional	285
5	Poisoning, Self inflicted	5	5	Other spec/class, Unintentional	43	5	Cut/ Pierce, Unintentional	175
	Other	23		Other	225		Other	707
TOTAL		82	TOTAL		721	TOTAL		2,517

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* YADKIN			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* YADKIN			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* YADKIN		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional; MVT, Unintentional	13	1	Fall, Unintentional	125	1	Fall, Unintentional	444
2	Firearm, Self inflicted	11	2	MVT, Unintentional	80	2	MVT, Unintentional	206
3	Other land transport, Unintentional; Firearm, Assault	3	3	Poisoning, Self inflicted	68	3	Overexertion, Unintentional	193
4	Suffocation, Self inflicted; Fall, Unintentional	2	4	Unspecified, Unintentional	41	4	Unspecified, Unintentional	163
5	Unspecified, Unintentional; Poisoning, Undetermined; Poisoning, Self inflicted; Other spec/NEC, Assault; Natural/ Environ, Unintentional; Firearm, Unintentional; Fire/ Burn, Self inflicted; Fall, Self inflicted	1	5	Poisoning, Unintentional	37	5	Struck, Unintentional	151
	Other	0		Other	164		Other	543
TOTAL		55	TOTAL		515	TOTAL		1,700

Leading Causes of Injury Death AGES 35-64: N.C. 2004-2007* YANCEY			Leading Causes of Injury Hospitalization** AGES 35-64: N.C. 2004-2007* YANCEY			Leading Causes of Injury ED Visits** AGES 35-64: N.C. 2006-2007* YANCEY		
Rank	Cause	#	Rank	Cause	#	Rank	Cause	#
1	Poisoning, Unintentional	8	1	Fall, Unintentional	57	1	Fall, Unintentional	87
2	Firearm, Self inflicted	7	2	MVT, Unintentional	32	2	MVT, Unintentional	60
3	MVT, Unintentional; Fall, Unintentional	3	3	Poisoning, Unintentional	22	3	Overexertion, Unintentional	21
4	Poisoning, Self inflicted	2	4	Poisoning, Self inflicted	17	4	Struck, Unintentional; Cut/ Pierce, Unintentional	16
5	Poisoning, Undetermined; Machinery, Unintentional; Fire/ Burn, Unintentional; Drowning, Undetermined; Drowning, Self inflicted	1	5	Other spec/class, Unintentional	16	5	Struck, Assault	12
	Other	0		Other	76		Other	74
TOTAL		28	TOTAL		220	TOTAL		286

* NC Residents based on county and state

**Excluding adverse effects within healthcare settings and missing Ecodes.